

Table S1. Changes in FEV₁ and DL_{CO} over time preceding their decline to values ≤70 % predicted in 36 patients with LAM and FEV₁ or DL_{CO} > 70 % predicted

	Patients with decline in FEV₁ to ≤ 70 %	Patients with decline in DLCO to ≤ 70 %
Number of patients	16	20
Years of observation	8.3±4.5	7.4±4.8
Initial FEV ₁	2.5±0.5	2.4±0.5
Initial % FEV ₁	87±13	88.2±19
Initial DL _{CO}	17.1±4.9	17.8±2.8
Initial % DL _{CO}	78±19	83±11
Change in FEV ₁ (ml/year)	-88±11	-93±13
Change in FEV ₁ (% predicted/year)	-2.4±0.3	-2.2±0.4
Change in DL _{CO} (ml/min/mmHg)	-0.65±0.07	-0.74±0.09
Change in DL _{CO} (% predicted /year)	-2.5±0.3	-2.9±0.4
Final FEV ₁	1.8±0.2	1.9±0.5
Final % FEV ₁	68±1.8	75±23
Final DL _{CO}	13.4±3.7	13.3±2.8
Final % DL _{CO}	64.3±17.0	67.4±2.5
Treated with sirolimus	8	6