Appendix.3 Presence of epidemiological and/or biological risk factors for active TB among asylum seekers tested by IGRA at a health examination. A review of 443 medical records within specialist care in Stockholm County January 1st 2016 to December 31st 2017.

	Referred to TB specialist clinic	Exclusively epidemiological risk factor N (% of those referred)	Exclusively biological risk factor N (% of those referred)	Both epidemiological and biological risk factor N (% of those referred)
Total	443	42 (9%)	51 (12%)	10 (2%)
Sex				
Male	330	33 (10%)	30 (9%)	6 (2%)
Female	113	9 (8%)	21 (19%)	4 (4%)
Age				
0-12 years	11	0	0	0
13-19 years	200	30 (15%)	0	0
20-34 years	129	7 (5%)	29 (22%)	5 (4%)
35-54 years	82	5 (6%)	15 (18%)	4 (5%)
55+ years	21	0	7 (33%)	1 (5%)
TB incidence/100.000 in country of origin)			
<50	33	5 (15%)	4(12%)	2 (6%)
50-99	42	1 (2%)	7 (17%)	2 (5%)
100-199	226	23 (10%)	11 (5%)	5 (2%)
200-299	85	10 (12%)	16 (19%)	1 (1%)
≥300	53	2 (4%)	13 (25%)	0
Unknown	4	1 (25%)	0	0

TB=Tuberculosis

IGRA=Interferon gamma release assay