Table of contents

Case Report Form (CRF) of Initial Survey: First Follow-Up Time Point version 1.02
Table S1. Categorisation of persistent symptoms at follow-up25
Table S2. Symptoms at the time of hospital admission25
Table S4. Parental perception of mood and behaviour changes in their children29
Table S ₅ . Parental-reported mood and behaviour changes due to Covid-19 and pandemic in their children, stratified by the the effect30
Figure S1. The proportion of COVID-19 infected children who at various time points after discharge from hospital had one or more of the commonest continuing symptoms. Some children had more than one symptom
Figure S2. Multivariable logistic regression model to identify pre-existing risk factors for post-COVID condition (using age as a continuous variable). Odds ratios and 95% CIs for presence of (A) any category of persistent symptoms at the time of follow-up and (B) two or more co-existing categories of persistent symptoms at the time of the follow-up
Figure S3. Multivariable logistic regression model to identify pre-existing risk factors for post-COVID condition (subgroup analyses in children ≥6 years of age). Odds ratios and 95% CIs for presence of (A) any category of persistent symptoms at the time of follow-up and (B) two or more co-existing categories of persistent symptoms at the time of the follow-up33

Case Report Form (CRF) of Initial Survey: First Follow-Up Time Point version 1.0


 I he questions were answered by the: □ Mother/female caregiver □ Father/male caregiver
Date you completed the survey (DD/MM/YYYY): [_D_][_D_]/[_M_][_M_]/[_2_][_0_][_Y_][_Y_]
What is your child's date of birth (DD/MM/YYYY): [_D_][_D_]/[_M_][_M_]/[_Y_][_Y_][_Y_]
1. About your child
Sex/Gender: □ Male □ Female □ Prefer not to say
What is your child's estimated height (cm): Not sure
What is your child's current estimated weight (kg): Not sure
What was your child's estimated weight before Covid19 illness (kg): Not sure
How many other members regularly live in your household, including yourself: [_Number_]
Does your child study in school/college/university? □ Yes □ No
How many years formal school education has your child had?* [_Number_]
*including primary school (e.g. from around 6 years depending on country)
Does your child study in kindergarten? □ Yes □ No
2. About <u>your child's</u> Covid-19 illness - all the questions relate to his/her health and wellbeing)
Approximately, what day did you first notice your child was experiencing symptoms of Covid-19? [_D_]/[_M_]/[_M_]/[_2_](_0_](_Y_](_Y_]
Covid-19? [_D_]/[_M_](_M_]/[_2_](_0_](_Y_](_Y_]
Covid-19? [_D_]/[_M_](_M_]/[_2_](_0_](_Y_](_Y_) How was your child diagnosed with Covid-19?
Covid-19? [_D_][_D_]/[_M_][_M_]/[_2_][_O_][_Y_][_Y_] How was your child diagnosed with Covid-19? Laboratory confirmed (positive PCR, antigen or Antibody test) Physician confirmed Test result is uncertain Not sure Estimated date of your child's most recent positive SARS-CoV-2 /Covid-19 test:
Covid-19? [_D_]/[_M_](_M_]/[_2_](_0_](_Y_](_Y_) How was your child diagnosed with Covid-19? Laboratory confirmed (positive PCR, antigen or Antibody test) Physician confirmed Test result is uncertain Not sure
Covid-19? [_D_]/_M_]_M_]/[_2_]_O_][_Y_][_Y_] How was your child diagnosed with Covid-19? Laboratory confirmed (positive PCR, antigen or Antibody test) Physician confirmed Test result is uncertain Not sure Estimated date of your child's most recent positive SARS-CoV-2 /Covid-19 test: [_D_][_D_]/[_M_][_M_]/[_2_][_O_][_2_][_Y_] Indicate if PCR test Antibody test Unknown Has your child been admitted to hospital due to Covid-19? Yes No
Covid-19? [_D_]/[_M_][_M_]/[_2_][_0_][_Y_][_Y_] How was your child diagnosed with Covid-19? Laboratory confirmed (positive PCR, antigen or Antibody test) Physician confirmed Test result is uncertain Not sure Estimated date of your child's most recent positive SARS-CoV-2 /Covid-19 test: [_D_][_D_]/[_M_][_M_]/[_2_][_0_][_2_][_Y_] Indicate if PCR test Antibody test Unknown Has your child been admitted to hospital due to Covid-19? Yes No (If the answer is "no", please, move on to the section "3"; if the answer is "yes", please, proceed with the
Covid-19? [_D_][_D_]/[_M_][_M_]/[_2_][_O_][_Y_][_Y_] How was your child diagnosed with Covid-19? Laboratory confirmed (positive PCR, antigen or Antibody test) Physician confirmed Test result is uncertain Not sure Estimated date of your child's most recent positive SARS-CoV-2 /Covid-19 test: [_D_][_D_]/[_M_][_M_]/[_2_][_O_][_2_][_Y] Indicate if PCR test Antibody test Unknown Has your child been admitted to hospital due to Covid-19? Yes No (If the answer is "no", please, move on to the section "3"; if the answer is "yes", please, proceed with the following questions)
Covid-19? [_D_][_D_]/[_M_][_M_]/[_2_][_0_][_Y_][_Y_] How was your child diagnosed with Covid-19? Laboratory confirmed (positive PCR, antigen or Antibody test) Physician confirmed Test result is uncertain Not sure Estimated date of your child's most recent positive SARS-CoV-2 /Covid-19 test: [_D_][_D_]/[_M_][_M_]/[_2_][_0_][_2_][_Y_] Indicate if PCR test Antibody test Unknown Has your child been admitted to hospital due to Covid-19? Yes No (If the answer is "no", please, move on to the section "3"; if the answer is "yes", please, proceed with the following questions) Roughly at what date was your child first admitted to hospital?
Covid-19? [_D_][_D_]/[_M_][_M_]/[_2_][_O_][_Y_][_Y_] How was your child diagnosed with Covid-19? Laboratory confirmed (positive PCR, antigen or Antibody test) Physician confirmed Test result is uncertain Not sure Estimated date of your child's most recent positive SARS-CoV-2 /Covid-19 test: [_D_][_D_]/[_M_][_M_]/[_2_][_O_][_2_][_Y] Indicate if PCR test Antibody test Unknown Has your child been admitted to hospital due to Covid-19? Yes No (If the answer is "no", please, move on to the section "3"; if the answer is "yes", please, proceed with the following questions)
Covid-19? [_D_]/_M_]/_M_]/_2_]_0_]_Y_]_Y_] How was your child diagnosed with Covid-19? Laboratory confirmed (positive PCR, antigen or Antibody test) Physician confirmed Test result is uncertain Not sure Estimated date of your child's most recent positive SARS-CoV-2 /Covid-19 test: [_D_][_D_]/_M_][_M_]/_2_][_0_][_2_][_Y_] Indicate if PCR test Antibody test Unknown Has your child been admitted to hospital due to Covid-19? Yes No (If the answer is "no", please, move on to the section "3"; if the answer is "yes", please, proceed with the following questions) Roughly at what date was your child first admitted to hospital? [_D_][_D_]/[_M_][_M_]/[_2_][_0_][_Y_][_Y_]
Covid-19? [_D_]D/[_M_]_[_M_]/[_2_]_[_O_]Y_]Y_] How was your child diagnosed with Covid-19? Laboratory confirmed (positive PCR, antigen or Antibody test) Physician confirmed Test result is uncertain Not sure Estimated date of your child's most recent positive SARS-CoV-2 /Covid-19 test: [_D_]_[D_]/[_M_][_M_]/[_2_][_O_][_2_][_Y_] Indicate if PCR test Antibody test Unknown Has your child been admitted to hospital due to Covid-19? Yes No (If the answer is "no", please, move on to the section "3"; if the answer is "yes", please, proceed with the following questions) Roughly at what date was your child first admitted to hospital? [_D_][D_]/[_M_][_M_]/[_2_][_O_][_Y_][_Y_] Roughly at what date was your child first discharged from hospital?
How was your child diagnosed with Covid-19? Laboratory confirmed (positive PCR, antigen or Antibody test) Physician confirmed Test result is uncertain Not sure Estimated date of your child's most recent positive SARS-CoV-2 /Covid-19 test: [D][D]/[M][M]/[2][0][2][Y] Indicate if PCR test Antibody test Unknown Has your child been admitted to hospital due to Covid-19? Yes No (If the answer is "no", please, move on to the section "3"; if the answer is "yes", please, proceed with the following questions) Roughly at what date was your child first admitted to hospital? [D][D]/[M][M]/[2][0][Y][Y] Roughly at what date was your child first discharged from hospital? [D][D]/[M][M]/[2][0][Y][Y]
How was your child diagnosed with Covid-19? Laboratory confirmed (positive PCR, antigen or Antibody test) Physician confirmed Test result is uncertain Not sure Estimated date of your child's most recent positive SARS-CoV-2 /Covid-19 test: [_D_][_D_]/[_M_][_M_]/[_2_][_0_][_2_][_Y_] Indicate if PCR test Antibody test Unknown Has your child been admitted to hospital due to Covid-19? Yes No (If the answer is "no", please, move on to the section "3"; if the answer is "yes", please, proceed with the following questions) Roughly at what date was your child first admitted to hospital? [_D_][_D_]/[_M_][_M_]/[_2_][_0_][_Y_][_Y_] Roughly at what date was your child first discharged from hospital? [_D_][_D_]/[_M_][_M_]/[_2_][_0_][_Y_][_Y_] If yes did they spent any time in the Paediatric Intensive Care Unit (PICU)? Yes No Not sure
How was your child diagnosed with Covid-19? Laboratory confirmed (positive PCR, antigen or Antibody test) Physician confirmed Test result is uncertain Not sure Estimated date of your child's most recent positive SARS-CoV-2 /Covid-19 test: [D][D]/[M][M]/[2][0][2][Y] Indicate if PCR test Antibody test Unknown Has your child been admitted to hospital due to Covid-19? Yes No (If the answer is "no", please, move on to the section "3"; if the answer is "yes", please, proceed with the following questions) Roughly at what date was your child first admitted to hospital? [D][D]/[M][M][Z2][0][Y][Y] Roughly at what date was your child first discharged from hospital? [D][D]/[M][M][Z2][0][Y][Y] If yes did they spent any time in the Paediatric Intensive Care Unit (PICU)? Yes No Not sure Has your child been admitted to hospital after the first acute Covid-19 illness? Yes No

3. About your child's emotional wellbeing, social relationships and activities'

To answer the following questions, please **mark an X** on the lines below that shows your opinion on the question.

A. Compared to before your child's Covid-19 infection, how much is he/she now doing/experiencing the following


If there are changes, please indicate whether you think these are due to the illness itself or to the Covid-19 pandemic



■ Not known

If there are changes, please indicate whether you think these are due to

□ Illness itself □ Covid-19 pandemic □ Both □ Unsure




■ Not known

If there are changes, please indicate whether you think these are due to

□ Illness itself □ Covid-19 pandemic □ Both □ Unsure

Spending time with friends in-person




□ Not known

If there are changes, please indicate whether you think these are due to

□ Illness itself □ Covid-19 pandemic □ Both □ Unsure


Spending time watching TV, playing video/computer games, or using social media <u>for educational purposes</u>, including school/nursery work



□ Not known

If there are changes, please indicate whether you think these are due to


□ Illness itself □ Covid-19 pandemic □ Both □ Unsure



■ Not known

If there are changes, please indicate whether you think these are due to

□ Illness itself □ Covid-19 pandemic □ Both □ Unsure




■ Not known

If there are changes, please indicate whether you think these are due to

□ Illness itself □ Covid-19 pandemic □ Both □ Unsure

Spending time with friends remotely (e.g., online, social media, texting)




■ Not known

If there are changes, please indicate whether you think these are due to

□ Illness itself □ Covid-19 pandemic □ Both □ Unsure

Spending time watching TV, playing video/computer games, or using social media for non-educational purposes,




□ Not known

If there are changes, please indicate whether you think these are due to

□ Illness itself □ Covid-19 pandemic □ Both □ Unsure

Spending time outside

Attending school/nursery



 (you may select more than one answer) □ Closing of child's school □ Closing of non-essential shops (shops and stores apart from food, doctors and drug stores) □ Closing of indoor places/venues □ Constraining meeting friends 	 □ Closing of nurseries/ki □ Cancellation/closing of activities □ Closing of outdoor rec □ Stay-at-home orders (except for essential erra 	f recreational v reational place not allowed to l	s
4a. About your child's state of health prior to his/her	Covid-19 illness		
Has your child been physician's diagnosed or receive	d treatment/support for	any of the fol	lowing chronic
medical conditions prior to the Covid-19 infection? (ar		-	J
	Yes		Unknown
Prematurity (baby born <37 weeks)			
Neurological			
Neurodisability			
Heart diseases			
Respiratory diseases (not including asthma)			
Tuberculosis			
Asthma (doctor's diagnosed)		+	
Allergic rhinitis/hay fever			
Food allergy			
Atopic dermatitis/Eczema		- 	
Other skin problems (not including eczema)		- 	
Gut problems			
Haematology (blood diseases)			
Oncology (cancer or other progressively enlarging or spreading	tumor)		
Immune system diseases (e.g. primary immune deficiencies)	idinor)		
Genetic conditions			
Diabetes (if yes indicate type: Type 1 Type 2)			
Other endocrine illness (not diabetes)			
Renal/Kidney problems			
Excessive weight and obesity			
Malnutrition (deficiencies, excesses, or imbalances in a person's		-	
intake of energy and/or nutrients)			
Rheumatology (e.g. arthritis, or inflammation of the joints)			
Depression			
Anxiety			
HIV			
Other (please indicate)			
Other (please indicate)			
Has your child ever been under Child and Adolescent pandemic? □ Yes □ No □ Not sure Prior to Covid-19 infection, how was your child's phy □ Very poor □ Poor □ Ok □ Good □ Very good			ovid-19
If you ticked poor or very poor, please explain:			
Prior to Covid-19 infection, how would you describe you □ Very poor □ Poor □ Ok □ Good □ Very good	ur child's <u>mental health</u>	in general	
If you ticked poor or very poor, please explain:			

Have you requested help because of Co	ovid-19 c	onsequ	ences to your child's physical he	alth?	
□ Yes □ No □ Not sure					
4b. About your child's current health					
Has your child felt feverish recently? If yes indicate when they felt feverish □ Within the last 7 days □ >1-2 weeks □ >	(tick all	that app	ly)	nths	
□ >6 months ago					
If yes, what was the most likely cause	of your o	child's n	nost recent feverish illness?		
□ Covid-19 □ Other respiratory infection (cough/co	ld/sore t	hroat) TB Stomach infection		
(diarrhea/vomiting) Urinary infection	Other (s	specify):	,		
□ Unknown □ Prefer not to say		-p			
If Covid-19, what was the estimated date	to of the	most ro	cent positive SARS CoV 2 (Covid	110 toot2	ı
•		mostre	cent positive SAKS-Cov-2/Covid	- 19 (62) ?	
[_D_][_D_]/[_M_][_M_]/[_2_][_0_][_2_][_Y_ Indicate if _PCR test _ Antibody test _ U					
5. Since having Covid-19, has your child been diagnosed with any of the following? (indicate the correct answer in the box provided)					
	YES	NO		YES	NO
Multisystem inflammatory syndrome			Shock / Toxic shock syndrome		
Pulmonary embolism			Coagulopathy		
(PE, "Clot in lung")			(excessive bleeding or clotting)		
Kawasaki disease			Kidney problems		
Multisystem inflammatory syndrome (MIS-C/PIMS-TS)			Type 1 Diabetes		
Respiratory failure			Type 2 Diabetes		
Asthma			Intussusception		
Myocarditis (inflammation of the heart muscle)			Other condition (if yes specify):		

6a. Within the <u>last seven days</u>, has your child had any of these symptoms, which were NOT present prior to their Covid-19 illness? If yes, please indicate below and the duration of the symptom/s:

Respiratory problems	Tick Yes or No	If yes, what is the duration of symptoms
Nasal congestion / rhinorrhea	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
Difficulty breathing /chest tightness	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
Pain on breathing	□ Yes □ No	<pre>- < 1 month - 1-2 months -> 2 -3 months -> 3-4 months -> 4-5 months -> 5-6 months -> 6-7 months -> 7 -8 months -> 8-9 months -> 9 -10 months -> 10-11 months -> 11 -12 months -> 12 months -> From the time of discharge -> Not sure</pre>
Chest pain	□ Yes □ No	<pre>- < 1 month - 1-2 months -> 2 -3 months -> 3-4 months -> 4-5 months -> 5-6 months -> 6-7 months -> 7 -8 months -> 8-9 months -> 9 -10 months -> 10-11 months -> 11 -12 months -> 12 months -> From the time of discharge -> Not sure</pre>
Persistent cough	□ Yes □ No	<pre>- < 1 month - 1-2 months -> 2 -3 months -> 3-4 months -> 4-5 months -> 5-6 months -> 6-7 months -> 7 -8 months -> 8-9 months -> 9 -10 months -> 10-11 months -> 11 -12 months -> 12 months -> From the time of discharge -> Not sure</pre>
If yes, □ dry cough □ with phlegm		
Musculoskeletal problems	Tick Yes or No	If yes, what is the duration of symptoms
Cannot fully move or control movement	□ Yes □ No	<pre>- < 1 month - 1-2 months -> 2 -3 months -> 3-4 months -> 4-5 months -> 5-6 months -> 6-7 months -> 7 -8 months -> 8-9 months -> 9 -10 months -> 10-11 months -> 11 -12 months -> 12 months -> From the time of discharge -> Not sure</pre>
Problems with balance	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
Persistent muscle pain	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge

		□ Not sure
Joint pain or swelling	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
Neurological problems	Tick Yes or No	If yes, what is the duration of symptoms
Headache	□ Yes □ No	<pre>- < 1 month - 1-2 months - >2 -3 months - >3-4 months - >4-5 months - >5-6 months - >6-7 months - >7 -8 months - >8-9 months - >9 -10 months - >10-11 months - >11 -12 months - >12 months - From the time of discharge - Not sure</pre>
Dizziness/ light headedness	□ Yes □ No	<pre></pre>
Fainting/ blackouts	□ Yes □ No	<pre>- < 1 month - 1-2 months -> 2 -3 months -> 3-4 months -> 4-5 months -> 5-6 months -> 6-7 months -> 7 -8 months -> 8-9 months -> 9 -10 months -> 10-11 months -> 11 -12 months -> 12 months -> From the time of discharge -> Not sure</pre>
Problems seeing/blurred vision	□ Yes □ No	<pre></pre>
Disturbed smell	□ Yes □ No	<pre></pre>
Loss of smell	□ Yes □ No	<pre>- < 1 month - 1-2 months -> 2 -3 months -> 3-4 months -> 4-5 months -> 5-6 months -> 6-7 months -> 7 -8 months -> 8-9 months -> 9 -10 months -> 10-11 months -> 11 -12 months -> 12 months -> From the time of discharge -> Not sure</pre>
Disturbed taste	□ Yes □ No	<pre>- < 1 month - 1-2 months - >2 -3 months - >3-4 months - >4-5 months - >5-6 months - >6-7 months - >7 -8 months - >8-9 months - >9 -10 months - >10-11 months - >11 -12 months - >12 months - From the time of discharge - Not sure</pre>
Loss of taste	□ Yes □ No	<pre>- < 1 month - 1-2 months -> 2 -3 months -> 3-4 months -> 4-5 months -> 5-6 months -> 6-7 months -> 7 -8 months -> 8-9 months -> 9 -10 months -> 10-11 months -> 11 -12 months -> 12 months -> From the time of discharge -> Not sure</pre>
Tremor/shakiness	□ Yes □ No	<pre>□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure</pre>

Tingling feeling/ "pins and needles"	□ Yes □ No	<pre>□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure</pre>
Seizures/fits	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
Confusion/lack of concentration	□ Yes □ No	<pre></pre>
Problems speaking or communicating	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
Insomnia (hard to fall asleep, hard to stay asleep)	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
Hypersomnia (excessive daytime sleepiness or prolonged nighttime sleep)	□ Yes □ No	<pre></pre>
Fatigue	□ Yes □ No	<pre></pre>
Gastrointestinal problems	Tick Yes or No	If yes, what is the duration of symptoms
Weight loss	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
Problems swallowing or chewing	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
Poor appetite	□ Yes □ No	<pre>- < 1 month - 1-2 months - >2 -3 months - >3-4 months - >4-5 months - >5-6 months - >6-7 months - >7 -8 months - >8-9 months - >9 -10 months - >10-11 months - >11 -12 months - >12 months - From the time of discharge - Not sure</pre>
Diarrhea	☐ Yes ☐ No	\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months

		□ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
Stomach/ abdominal pain	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
Feeling nauseous	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
Vomiting	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
Constipation	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
Cardiovascular problems	Tick Yes or No	If yes, what is the duration of symptoms
Palpitations (heart racing)	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
Variations in heart rate (tachycardia or bradycardia)	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
Bleeding	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
If yes, specify bleeding site:		
Genitourinary problems	Tick Yes or No	If yes, what is the duration of symptoms
Urination problems	□ Yes □ No	<pre></pre>
Changes in menstruation, (if regular before Covid- 19 illness)	□ Yes □ No □ Not applicable	<pre></pre>

Other problems	Tick Yes or No	If yes, what is the duration of symptoms
Bilateral conjunctivitis	□ Yes □ No	\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
If yes, □ purulent □ non-purulent		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
Lumps or rashes (purple/pink) on toes	□ Yes □ No	\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
Skin rash	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
01: 11: (:1 11 1 1 1 1 1 1 1 1		□ Not sure
Skin rash If yes, tick all body areas that apply:	□ Yes □ No	□ Face
		□ Trunk (stomach or back)
		□ Arms
		□ Legs □ Buttocks
		□ Toes
		□ Fingers
		□ Accompanied by itch
		7 tocompaniou by item
Hair loss	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
Hyperhidrosis	□ Yes □ No	\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
Other New Symptoms, if yes, specify all with t	heir duration:	If yes, what is the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months
		□ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure

6b. Please report any symptoms that have been bothering your child since discharge that are not present today. Please specify the time of onset and duration of these symptoms

Respiratory problems	Tick Yes or No	If yes, what was the time of onset
Nasal congestion / rhinorrhea	□ Yes □ No	□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
		If yes, what was the duration of symptoms
		□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Difficulty breathing /chest tightness	□ Yes □ No	If yes, what was the time of onset
		□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
		If yes, what was the duration of symptoms
		□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Pain on breathing	□ Yes □ No	If yes, what was the time of onset
		□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
		If yes, what was the duration of symptoms
		□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Chest pain	□ Yes □ No	If yes, what was the time of onset
		□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
		If yes, what was the duration of symptoms
		□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ Not sure

Persistent cough	□ Yes □ No	If yes, what was the time of onset
•		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
If yes, □ dry cough □ with phlegm		
Musculoskeletal problems	Tick Yes or No	If yes, what was the time of onset
Cannot fully move or control movement	□ Yes □ No	\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Problems with balance	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Persistent muscle pain	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Joint pain or swelling	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure

		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Neurological problems	Tick Yes or No	If yes, what was the time of onset
Headache	□ Yes □ No	\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Dizziness/ light headedness	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		\square >10-11 months \square >11 -12 months \square >12 months \square Not sure
Fainting/ blackouts	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Problems seeing/blurred vision	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		□ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months
		□ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months
B:		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Disturbed smell	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months

		□ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
		If yes, what was the duration of symptoms
Loss of smell	□ Yes □ No	If yes, what was the time of onset
		If yes, what was the duration of symptoms
		<pre>- < 1 month - 1-2 months - >2 -3 months - >3-4 months - >4-5 months - >5-6 months - >6-7 months - >7 -8 months - >8-9 months - >9 -10 months - >10-11 months - >11 -12 months - >12 months - Not sure</pre>
Disturbed taste	□ Yes □ No	If yes, what was the time of onset
		< 1 month = 1-2 months = >2 -3 months = >3-4 months = >4-5 months = >5-6 months = >6-7 months = >7 -8 months = >8-9 months = >9 -10 months = >10-11 months = >11 -12 months = >12 months = From the time of discharge = Not sure
		If yes, what was the duration of symptoms
		< 1 month = 1-2 months = >2 -3 months = >3-4 months = >4-5 months = >5-6 months = >6-7 months = >7 -8 months = >8-9 months = >9 -10 months = >10-11 months = >11 -12 months = >12 months = Not sure
Loss of taste	□ Yes □ No	If yes, what was the time of onset
		□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
		If yes, what was the duration of symptoms
		<pre>- < 1 month - 1-2 months - >2 -3 months - >3-4 months - >4-5 months - >5-6 months - >6-7 months - >7 -8 months - >8-9 months - >9 -10 months - >10-11 months - >11 -12 months - >12 months - Not sure</pre>
Tremor/shakiness	□ Yes □ No	If yes, what was the time of onset
		<pre>- < 1 month - 1-2 months - >2 -3 months - >3-4 months - >4-5 months - >5-6 months - >6-7 months - >7 -8 months - >8-9 months - >9 -10 months - >10-11 months - >11 -12 months - >12 months - From the time of discharge - Not sure - If yes, what was the duration of symptoms - < 1 month - 1-2 months - >2 -3 months - >3-4 months - >4-5 months</pre>
		\neg 5-6 months \neg 5-7 months \neg 5-8 months \neg 8-9 months \neg 5-10 months

		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Tingling feeling/ "pins and needles"	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Seizures/fits	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		\square >10-11 months \square >11 -12 months \square >12 months \square Not sure
Confusion/lack of concentration	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		\square >10-11 months \square >11 -12 months \square >12 months \square Not sure
Problems speaking or communicating	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		\square >10-11 months \square >11 -12 months \square >12 months \square Not sure
Insomnia (hard to fall asleep, hard to stay asleep)	□ Yes □ No	If yes, what was the time of onset
		$_{-}$ < 1 month $_{-}$ 1-2 months $_{-}$ >2 -3 months $_{-}$ >3-4 months $_{-}$ >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure

		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Hypersomnia (excessive daytime sleepiness or	□ Yes □ No	If yes, what was the time of onset
prolonged nighttime sleep)		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Fatigue	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Gastrointestinal problems	Tick Yes or No	If yes, what was the time of onset
Weight loss	□ Yes □ No	\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
-		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Problems swallowing or chewing	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		$_{ }$ < 1 month $_{ }$ 1-2 months $_{ }$ >2 -3 months $_{ }$ >3-4 months $_{ }$ >4-5 months $_{ }$ >5-6 months $_{ }$ >6-7 months $_{ }$ >7 -8 months $_{ }$ >8-9 months $_{ }$ >9 -10 months
Poor appetite	□ Yes □ No	\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months

		□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
		If yes, what was the duration of symptoms
		□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Diarrhea	□ Yes □ No	If yes, what was the time of onset
		<pre></pre>
		If yes, what was the duration of symptoms
		□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Stomach/ abdominal pain	□ Yes □ No	If yes, what was the time of onset
		□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
		If yes, what was the duration of symptoms
		□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Feeling nauseous	□ Yes □ No	If yes, what was the time of onset
		<pre>- < 1 month - 1-2 months -> 2 -3 months -> 3-4 months -> 4-5 months -> 5-6 months -> 6-7 months -> 7 -8 months -> 8-9 months -> 9 -10 months -> 10-11 months -> 11 -12 months -> 12 months -> From the time of discharge -> Not sure</pre>
		If yes, what was the duration of symptoms
		□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Vomiting	□ Yes □ No	If yes, what was the time of onset
		□ < 1 month □ 1-2 months □ >2 -3 months □ >3-4 months □ >4-5 months □ >5-6 months □ >6-7 months □ >7 -8 months □ >8-9 months □ >9 -10 months □ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge □ Not sure
		If yes, what was the duration of symptoms
		+++× +++++++++++++++++++++++++++++++++

		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Constipation	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Cardiovascular problems	Tick Yes or No	If yes, what was the time of onset
Palpitations (heart racing)	□ Yes □ No	\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Variations in heart rate (tachycardia or	□ Yes □ No	If yes, what was the time of onset
bradycardia)		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Bleeding	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
If yes, specify bleeding site:		
Genitourinary problems	Tick Yes or No	If yes, what was the time of onset

Urination problems	□ Yes □ No	\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
·		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Changes in menstruation, (if regular before Covid-	□ Yes □ No	If yes, what was the time of onset
19 illness)	□ Not applicable	\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Other problems	Tick Yes or No	If yes, what was the time of onset
Bilateral conjunctivitis	□ Yes □ No	\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
If yes, □ purulent □ non-purulent		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Lumps or rashes (purple/pink) on toes	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Skin rash	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months

		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Skin rash If yes, tick all body areas that apply:	□ Yes □ No	□ Face
		□ Trunk (stomach or back)
		□ Arms
		□ Legs
		□ Buttocks
		□ Toes
		□ Fingers
		□ Accompanied by itch
Hair loss	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Hyperhidrosis	□ Yes □ No	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure
Other New Symptoms, if yes, specify all with the duration:	neir onset and	If yes, what was the time of onset
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ From the time of discharge
		□ Not sure
		If yes, what was the duration of symptoms
		\square < 1 month \square 1-2 months \square >2 -3 months \square >3-4 months \square >4-5 months
		\square >5-6 months \square >6-7 months \square >7 -8 months \square >8-9 months \square >9 -10 months
		□ >10-11 months □ >11 -12 months □ >12 months □ Not sure

7. Your child's overall health status		
We would like to know how good or bad your child's health was	Best	Best
BEFORE Covid-19 and how it is TODAY	health	health
This scale is numbered from 0 to 100%	100	100
with 100% meaning the best health you can imagine	95	95
0% means the worst health you can imagine.	90	90
Please indicate on the scale and write the number in the box below each	85	85
scale to indicate how good or bad your child's health was BEFORE Covid-19	80	80
and how it is TODAY .	75	75
	70	70
	65	65
	60	60
	55	55
	50	50
	45	45
	40	40
	35	35
	30	30
	25	25
	20	20
	15	15
	10	10
	5	5
	0	0
	Before	Today
	Covid-19	-

Has your child been vaccinated in accordance with the national vaccination schedule? Yes, vaccinated up to date Yes, but some vaccines were missed No, I avoid vaccination for my child Please provide an approximate date of your child's latest vaccination? D_I_D_I_M_M_M_1_2_I_O_I_C_M_1_M_1_M_1_P_IP_IP_IP_IP_IP_IP_IP_IP_IP_IP_IP_IP_I	8. Vaccinations	
Please provide an approximate date of your child's latest vaccination? [Has your child been vaccinated in accordance with the national vaccination schedule	?
Please, specify what was the vaccine:	☐ Yes, vaccinated up to date ☐ Yes, but some vaccines were missed ☐ No, I avoid vaccination	on for my child
I trust information I receive about vaccines? Not at all Only a little Undecided Quite a lot A great deal How confident are you in any of the childhood vaccines safety? Not at all Only a little Undecided Quite a lot A great deal Has your child been vaccinated against Covid-19? Yes No Not sure If yes, how many times have they had the Covid-19 vaccine? [Number_] Estimated date of the last vaccine dose received: [P	·	
Not at all Only a little Undecided Quite a lot A great deal How confident are you in any of the childhood vaccines safety? Not at all Only a little Undecided Quite a lot A great deal Has your child been vaccinated against Covid-19? Yes No Not sure If yes, how many times have they had the Covid-19 vaccine?	Please, specify what was the vaccine: I do not remember	
Has your child been vaccinated against Covid-19? □ Yes □ No □ Not sure If yes, how many times have they had the Covid-19 vaccine? [_Number_] Estimated date of the last vaccine dose received: [_D_][_D_]/[_M_][_M_]/[_2_][_0_][_2_][_Y_] Which type of Covid-19 vaccine did they receive: □AstraZeneca □Pfizer-BioNTech Imperial Janssens □ Moderna's Sinopharm □ Sputnik V Other (name): □ □ Not sure If no, would you like to vaccinate your child against Covid-19 in the future? □ Yes □ No □ Not sure It rust information receive about Covid-19 vaccination? □ Not at all □ Only a little □ Undecided □ Quite a lot □ A great deal How confident are you in the safety of Covid-19 vaccinations? □ Not at all □ Only a little □ Undecided □ Quite a lot □ A great deal What is your opinion of Russian-made vaccines against Covid-19? □ Negative □ Neutral □ Positive □ Not sure What is your opinion of vaccines against Covid-19 produced abroad? □ Negative □ Neutral □ Positive □ Not sure 9. Some questions about you During your child's illness, have you often been in a bad mood, depressed or feeling □ Yes □ No hopeless? During your child's illness, did you often feel persistent fatigue for no reason? □ Ves □ No Did your child's illness, often make you feel nervous, anxious or extremely stressed? □ Yes □ No Did your child's illness often make you feel nervous, anxious or extremely stressed? □ Yes □ No Did your child's illness, often make you feel nervous, anxious or extremely stressed? □ Yes □ No Did your child's illness, have you often experienced fear, as if something terrible were □ Yes □ No about to happen? Due to your child's illness, have you often experienced fear, as if something terrible were □ Yes □ No about to happen? Due to your child's illness, have you often experienced fear, as if something terrible were □ Yes □ No about to happen?		
Has your child been vaccinated against Covid-19?	How confident are you in any of the childhood vaccines safety?	
Estimated date of the last vaccine dose received: [_D_][_D_]/[_M_][_M_]/[_2_][_0_][_2_][_Y_] Which type of Covid-19 vaccine did they receive:AstraZenecaPfizer-BioNTechImperialJanssens _ Moderna'sSinopharmSputnik VOther (name):	□ Not at all □ Only a little □ Undecided □ Quite a lot □ A great deal	
Estimated date of the last vaccine dose received: [_D_][_D_]/[_M_][_M_]/[_2_][_0_][_2_]_Y_] Which type of Covid-19 vaccine did they receive:AstraZeneca _ Pfizer-BioNTech _ Imperial _ Janssens _ Moderna's _ Sinopharm _ Sputnik V _ Other (name):	Has your child been vaccinated against Covid-19? ☐ Yes ☐ No ☐ Not sure	
Which type of Covid-19 vaccine did they receive:	If yes, how many times have they had the Covid-19 vaccine? [_Number_]	
Imperial Janssens Moderna's Sinopharm Sputnik V Other (name): Not sure If no, would you like to vaccinate your child against Covid-19 in the future? Yes No Not sure	Estimated date of the last vaccine dose received: [_D_][_D_]/[_M_][_M_]/[_2_][_0_][_2_][_Y	_]
I trust information I receive about Covid-19 vaccination? Not at all only a little undecided Quite a lot A great deal How confident are you in the safety of Covid-19 vaccinations? Not at all only a little Undecided Quite a lot A great deal What is your opinion of Russian-made vaccines against Covid-19? Negative Neutral Positive Not sure What is your opinion of vaccines against Covid-19 produced abroad? Negative Neutral Positive Not sure 9. Some questions about you During your child's illness, have you often been in a bad mood, depressed or feeling A yes Notes	,, ,	t sure
Not at all Only a little Undecided Quite a lot A great deal	<u>If no,</u> would you like to vaccinate your child against Covid-19 in the future? □ Yes □ N	o □ Not sure
Not at all □ Only a little □ Undecided □ Quite a lot □ A great deal What is your opinion of Russian-made vaccines against Covid-19? □ Negative □ Neutral □ Positive □ Not sure What is your opinion of vaccines against Covid-19 produced abroad? □ Negative □ Neutral □ Positive □ Not sure 9. Some questions about you During your child's illness, have you often been in a bad mood, depressed or feeling □ Yes □ No hopeless? □ During your child's illness, did you often feel that everything was difficult, and you did not □ Yes □ No want to do anything? □ During your child's illness, did you often feel persistent fatigue for no reason? □ Yes □ No □ Did your child's illness often make you feel nervous, anxious or extremely stressed? □ Yes □ No □ Did your child's illness often leave you unable to calm down or have you often been unable □ Yes □ No to calm or control your worries? Due to your child's illness, have you often experienced fear, as if something terrible were □ Yes □ No about to happen? □ Use to your child's illness, have you had to face aggressive or prejudiced attitudes from □ Yes □ No others?		
During your child's illness, have you often been in a bad mood, depressed or feeling hopeless? During your child's illness, did you often feel that everything was difficult, and you did not want to do anything? During your child's illness, did you often feel persistent fatigue for no reason? Did your child's illness often make you feel nervous, anxious or extremely stressed? Did your child's illness often leave you unable to calm down or have you often been unable to calm or control your worries? Due to your child's illness, have you often experienced fear, as if something terrible were about to happen? Due to your child's illness, have you had to face aggressive or prejudiced attitudes from the control of the	 Not at all □ Only a little □ Undecided □ Quite a lot □ A great deal What is your opinion of Russian-made vaccines against Covid-19? □ Negative □ Neutral □ Positive □ Not sure What is your opinion of vaccines against Covid-19 produced abroad? 	
During your child's illness, did you often feel that everything was difficult, and you did not want to do anything? During your child's illness, did you often feel persistent fatigue for no reason? □ Yes □ No Did your child's illness often make you feel nervous, anxious or extremely stressed? □ Yes □ No Did your child's illness often leave you unable to calm down or have you often been unable to calm or control your worries? Due to your child's illness, have you often experienced fear, as if something terrible were about to happen? Due to your child's illness, have you had to face aggressive or prejudiced attitudes from others?	9. Some questions about you	
During your child's illness, did you often feel that everything was difficult, and you did not want to do anything? During your child's illness, did you often feel persistent fatigue for no reason? □ Yes □ No Did your child's illness often make you feel nervous, anxious or extremely stressed? □ Yes □ No Did your child's illness often leave you unable to calm down or have you often been unable to calm or control your worries? Due to your child's illness, have you often experienced fear, as if something terrible were about to happen? Due to your child's illness, have you had to face aggressive or prejudiced attitudes from others?		
During your child's illness, did you often feel that everything was difficult, and you did not want to do anything? During your child's illness, did you often feel persistent fatigue for no reason? Did your child's illness often make you feel nervous, anxious or extremely stressed? Did your child's illness often leave you unable to calm down or have you often been unable to calm or control your worries? Due to your child's illness, have you often experienced fear, as if something terrible were about to happen? Due to your child's illness, have you had to face aggressive or prejudiced attitudes from others?		□ Yes □ No
During your child's illness, did you often feel persistent fatigue for no reason? Did your child's illness often make you feel nervous, anxious or extremely stressed? Did your child's illness often leave you unable to calm down or have you often been unable to calm or control your worries? Due to your child's illness, have you often experienced fear, as if something terrible were about to happen? Due to your child's illness, have you had to face aggressive or prejudiced attitudes from others?		□ Yes □ No
Did your child's illness often leave you unable to calm down or have you often been unable to calm or control your worries? Due to your child's illness, have you often experienced fear, as if something terrible were about to happen? Due to your child's illness, have you had to face aggressive or prejudiced attitudes from others?		
to calm or control your worries? Due to your child's illness, have you often experienced fear, as if something terrible were about to happen? Due to your child's illness, have you had to face aggressive or prejudiced attitudes from others?		
Due to your child's illness, have you often experienced fear, as if something terrible were about to happen? Due to your child's illness, have you had to face aggressive or prejudiced attitudes from others?		□ Yes □ No
Due to your child's illness, have you had to face aggressive or prejudiced attitudes from others?	Due to your child's illness, have you often experienced fear, as if something terrible were	□ Yes □ No
	Due to your child's illness, have you had to face aggressive or prejudiced attitudes from	□ Yes □ No
		□ Yes □ No

10. Please let us know of any further comments about the child's illness, the pandemic, lockdown and/or any sequelae.
11. End of survey
Thank you for your time!

 ${\bf Table~S1}.~{\bf Categorisation~of~persistent~symptoms~at~follow-up.}$

Symptom category	Persistent symptoms included
Musculoskeletal	joint pain or swelling OR persistent muscle pain
Cardiovascular	variations in heart rate OR palpitations
Respiratory	difficulty breathing/chest tightness OR pain on breathing OR persistent cough
Neurological	cannot fully move or control movement OR problems with balance OR confusion/lack of concentration OR problems speaking or communicating OR seizures/fits OR tingling feeling/ 'pins and needles' OR tremor/shakiness OR dizziness/light headedness OR fainting/ blackouts
Dermatological	skin rash OR lumps or rashes (purple/pink) on toes OR hair loss
Gastrointestinal	constipation OR diarrhea OR feeling nauseous OR stomach/ abdominal pain OR vomiting
Sensory	disturbed smell OR disturbed taste OR loss of smell OR loss of taste
Sleep	hypersomnia OR insomnia
Fatigue	fatigue

 $\textbf{Table S2}. \ \textbf{Symptoms at the time of hospital admission}.$

Characteristics	Results
History of fever	427/511 (83.6%)
Cough	284/510 (55.7%)
Fatigue	197/506 (38.9%)
Rhinorrhoea	278/512 (54.3%)
Shortness of breath	77/513 (15%)
Disturbed smell or loss of smell	64/456 (14%)
Sore throat	67/487 (13.8%)
Lymphadenopathy	52/512 (10.2%)
Headache	40/465 (8.6%)
Diarrhoea	43/511 (8.4%)
Skin rash	41/512 (8%)
Wheezing	39/512 (7.6%)
Vomiting / Nausea	32/512 (6.2%)
Chest pain	28/464 (6%)
Abdominal pain	27/489 (5.5%)
Disturbed taste or Loss of taste	16/456 (3.5%)
Muscle aches	14/463 (3%)
Conjunctivitis	10/512 (2%)
Joint pain	5/461 (1.1%)
Ear pain	3/463 (0.6%)
Seizures	3/512 (0.6%)
Bleeding	3/512 (0.6%)
Lower chest wall indrawing	3/512 (0.6%)
Confusion	2/511 (0.4%)

Table S3. Most commonly used treatments during the hospital stay.

Characteristics	Total
Antiviral or COVID-19 targeted agent	394/512 (77.0%)
Antibiotics	380/513 (74.1%)
Mucolytics	188/513 (36.7%)
Arbidol	133/512 (26%)
Antifungal agent	25/513 (4.9%)
Corticosteroid	20/513 (3.9%)
Heparin	17/513 (3.3%)

Table S4. Symptoms reported at the time of the follow-up interview and symptom duration (in months).

Current symptom	Total number of patients with the symptom	Total number of patients with the persistent symptom	< 1	1-2	> 2-3	> 3-4	> 4-5	> 5-6	> 6-7	> 7-8	> 8-9	> 9-10	From the time of discharge
Fatigue	63/498 (12.65%)	53/496 (10.69%)	5/496 (1.01%)	1/496 (0.2%)	0/496 (0%)	1/496 (0.2%)	1/496 (0.2%)	4/496 (0.81%)	1/496 (0.2%)	2/496 (0.4%)	1/496 (0.2%)	0/496 (0%)	45/496 (9.07%)
Nasal congestion/ rhinorrhea	43/505(8.51%)	10/505 (1.98%)	29/505 (5.74 %)	2/505 (0.4%)	1/505 (0.2 %)	1/505 (0.2%)	0/505 (0%)	o/505 (o%)	0/505 (0%)	0/505 (0%)	0/505 (0%)	0/505 (0%)	10/505 (1.98 %)
Insomnia	32/501 (6.39%)	26/501 (5.19%)	2/501 (0.4%)	2/501 (0.4%)	1/501 (0.2%)	0/501 (0%)	1/501 (0.2%)	2/501 (0.4%)	1/501 (0.2%)	1/501 (0.2%)	0/501 (0%)	0/501 (0%)	22/501 (4.39%)
Disturbed smell	26/468 (5.56%)	22/467 (4.71%)	0/467 (0%)	2/467 (0.43%)	1/467 (0.21%)	0/467 (0%)	0/467 (0%)	3/467 (0.64%)	0/467 (0%)	2/467 (0.43%)	0/467 (0%)	o/467 (o%)	17/467 (3.64%)
Headache	24/488(4.92%)	17/486 (3.5%)	4/486 (0.82%)	0/486 (0%)	1/486 (0.21%)	0/486 (0%)	0/486 (0%)	1/486 (0.21%)	0/486 (0%)	0/486 (0%)	0/486 (0%)	o/486 (o%)	16/486 (3.29%)
Disturbed taste	18/468 (3.85%)	16/468 (3.42%)	0/468 (0%)	1/468 (0.21%)	1/468 (0.21%)	0/468 (0%)	0/468 (0%)	2/468 (0.43%)	0/468 (0%)	2/468 (0.43%)	0/468 (0%)	o/468 (o%)	12/468 (2.56%)
Hyperhidrosis	17/502(3.39%)	13/502 (2.59%)	1/502 (0.2%)	2/502 (0.4%)	0/502 (0%)	1/502 (0.2%)	0/502 (0%)	0/502 (0%)	0/502 (0%)	1/502 (0.2%)	0/502 (0%)	0/502 (0%)	12/502 (2.39%)
Persistent cough	17/503 (3.38%)	5/503 (0.99%)	9/503 (1.79%)	3/503 (0.6%)	0/503 (0%)	o/503 (0%)	0/503 (0%)	o/503 (o%)	o/503 (0%)	o/503 (0%)	0/503 (0%)	o/503 (0%)	5/503 (0.99%)
Hypersomnia	16/501 (3.19%)	15/501 (2.99%)	0/501 (0%)	0/501 (0%)	0/501 (0%)	1/501 (0.2%)	0/501 (0%)	1/501 (0.2%)	1/501 (0.2%)	1/501 (0.2%)	1/501 (0.2%)	0/501 (0%)	11/501 (2.2%)
Poor appetite	15/500 (3%)	12/500 (2.4%)	2/500 (0.4%)	0/500 (0%)	1/500 (0.2%)	0/500 (0%)	0/500 (0%)	1/500 (0.2%)	0/500 (0%)	1/500 (0.2%)	1/500 (0.2%)	o/500 (o%)	9/500 (1.8%)
Skin rash	13/497 (2.62%)	8/497 (1.61%)	3/497 (0.6%)	0/497 (0%)	1/497 (0.2%)	0/497 (0%)	1/497 (0.2%)	2/497 (0.4%)	0/497 (0%)	0/497 (0%)	0/497 (0%)	0/497 (0%)	6/497 (1.21%)
Diarrhea	13/499 (2.61%)	10/499 (2%)	1/499 (0.2%)	0/499 (0%)	1/499 (0.2%)	0/499 (0%)	1/499 (0.2%)	0/499 (0%)	0/499 (0%)	1/499 (0.2%)	0/499 (0%)	o/499 (o%)	9/499 (1.8%)
Stomach/ abdominal pain	13/499 (2.61%)	10/499 (2%)	1/499 (0.2%)	1/499 (0.2%)	1/499 (0.2%)	0/499 (0%)	0/499 (0%)	0/499 (0%)	0/499 (0%)	1/499 (0.2%)	0/499 (0%)	o/499 (o%)	9/499 (1.8%)
Problems seeing/ blurred vision	12/480 (2.5%)	10/479 (2.09%)	0/479 (0%)	0/479 (0%)	1/479 (0.21%)	0/479 (0%)	0/479 (0%)	1/479 (0.21%)	1/479 (0.21%)	0/479 (0%)	0/479 (0%)	o/479 (o%)	8/479 (1.67%)
Hair loss	12/501 (2.4%)	9/501 (1.8%)	0/501 (0%)	1/501 (0.2%)	2/501 (0.4%)	0/501 (0%)	0/501 (0%)	1/501 (0.2%)	1/501 (0.2%)	1/501 (0.2%)	0/501 (0%)	0/501 (0%)	6/501 (1.2%)
Dizziness/ light headedness	10/486 (2.06%)	5/484 (1.03%)	2/484 (0.41%)	1/484 (0.21%)	0/484 (0%)	0/484 (0%)	0/484 (0%)	o/484 (o%)	0/484 (0%)	0/484 (0%)	0/484 (0%)	o/484 (o%)	5/484 (1.03%)
Joint pain or swelling	10/493 (2.03%)	6/492 (1.22%)	1/492 (0.2%)	2/492 (0.41%)	0/492 (0%)	0/492 (0%)	0/492 (0%)	0/492 (0%)	0/492 (0%)	1/492 (0.2%)	0/492 (0%)	0/492 (0%)	5/492 (1.02%)
Variations in heart rate	10/494 (2.02%)	6/493 (1.22%)	0/493 (0%)	0/493 (0%)	1/493 (0.2%)	0/493 (0%)	0/493 (0%)	0/493 (0%)	0/493 (0%)	1/493 (0.2%)	0/493 (0%)	0/493 (0%)	5/493 (1.01%)
Constipation	9/500 (1.8%)	8/500 (1.6%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	1/500 (0.2%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	8/500 (1.6%)
Loss of smell	8/468 (1.71%)	7/468 (1.5%)	0/468 (0%)	1/468 (0.21%)	0/468 (0%)	0/468 (0%)	0/468 (0%)	0/468 (0%)	0/468 (0%)	0/468 (0%)	0/468 (0%)	0/468 (0%)	7/468 (1.5%)

			· .			-							
Difficulty breathing /chest tightness	8/503 (1.59%)	7/503 (1.39%)	1/503 (0.2 %)	o/503 (0%)	o/503 (0%)	o/503 (0%)	0/503 (0%)	1/503 (0.2 %)	0/503 (0%)	o/503 (0%)	o/503 (0%)	0/503 (0%)	6/503 (1.19 %)
Palpitations	7/472(1.48%)	5/471 (1.06%)	0/471 (0%)	0/471 (0%)	1/471 (0.21%)	0/471 (0%)	0/471 (0%)	0/471 (0%)	0/471 (0%)	1/471 (0.21%)	0/471 (0%)	0/471 (0%)	4/471 (0.85%)
Feeling nauseous	7/500 (1.4%)	6/500 (1.2%)	1/500 (0.2%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	1/500 (0.2%)	1/500 (0.2%)	0/500 (0%)	0/500 (0%)	4/500 (0.8%)
Chest pain	6/487(1.23%)	3/487 (0.62%)	2/487 (0.41 %)	0/487 (0%)	1/487 (0.21 %)	0/487 (0%)	0/487 (0%)	0/487 (0%)	0/487 (0%)	0/487 (0%)	0/487 (0%)	0/487 (0%)	3/487 (0.62 %)
Persistent muscle pain	6/491(1.22%)	4/490 (0.82%)	1/490 (0.2%)	0/490 (0%)	0/490 (0%)	0/490 (0%)	0/490 (0%)	0/490 (0%)	0/490 (0%)	1/490 (0.2%)	0/490 (0%)	0/490 (0%)	3/490 (0.61%)
Problems with balance	6/496(1.21%)	2/494 (0.4%)	1/494 (0.2%)	1/494 (0.2%)	0/494 (0%)	0/494 (0%)	0/494 (0%)	0/494 (0%)	0/494 (0%)	0/494 (0%)	0/494 (0%)	0/494 (0%)	2/494 (0.4%)
Urination problems	4/496 (0.81%)	3/496 (0.6%)	1/496 (0.2%)	0/496 (0%)	0/496 (0%)	0/496 (0%)	0/496 (0%)	0/496 (0%)	0/496 (0%)	0/496 (0%)	0/496 (0%)	1/496 (0.2%)	2/496 (0.4%)
Vomiting	4/500 (0.8%)	4/500 (0.8%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	o/500 (0%)	o/500 (0%)	0/500 (0%)	1/500 (0.2%)	o/500 (0%)	3/500 (0.6%)
Confusion/ lack of concentration	3/486 (0.62%)	2/486 (0.41%)	0/486 (0%)	0/486 (0%)	0/486 (0%)	0/486 (0%)	1/486 (0.21%)	1/486 (0.21%)	0/486 (0%)	0/486 (0%)	0/486 (0%)	0/486 (0%)	1/486 (0.21%)
Pain on breathing	3/488(0.61%)	2/488 (0.41%)	0/488 (0%)	0/488 (0%)	1/488 (0.2 %)	0/488 (0%)	0/488 (0%)	0/488 (0%)	0/488 (0%)	0/488 (0%)	0/488 (0%)	0/488 (0%)	2/488 (0.41%)
Cannot fully move or control movement	3/499(0.6%)	2/499 (0.4%)	0/499 (0%)	1/499 (0.2%)	0/499 (0%)	0/499 (0%)	0/499 (0%)	0/499 (0%)	0/499 (0%)	0/499 (0%)	0/499 (0%)	0/499 (0%)	2/499 (0.4%)
Tremor/ shakiness	3/500 (0.6%)	3/500 (0.6%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	3/500 (0.6%)
Bleeding	3/497 (0.6%)	1/497 (0.2%)	0/497 (0%)	1/497 (0.2%)	1/497 (0.2%)	0/497 (0%)	0/497 (0%)	0/497 (0%)	0/497 (0%)	0/497 (0%)	0/497 (0%)	0/497 (0%)	1/497 (0.2%)
Changes in menstruation	3/501 (0.6%)	3/501 (0.6%)	0/501 (0%)	0/501 (0%)	0/501 (0%)	0/501 (0%)	0/501 (0%)	0/501 (0%)	1/501 (0.2%)	0/501 (0%)	0/501 (0%)	0/501 (0%)	2/501 (0.4%)
Loss of taste	2/469(0.43%)	2/469 (0.43%)	o/469 (o%)	0/469 (0%)	o/469 (o%)	o/469 (o%)	0/469 (0%)	0/469 (0%)	0/469 (0%)	0/469 (0%)	0/469 (0%)	o/469 (o%)	2/469 (0.43%)
Tingling feeling/ "pins and needles"	2/472 (0.42%)	2/472 (0.42%)	0/472 (0%)	1/472 (0.21%)	0/472 (0%)	0/472 (0%)	0/472 (0%)	0/472 (0%)	1/472 (0.21%)	0/472 (0%)	0/472 (0%)	0/472 (0%)	0/472 (0%)
Weight loss	2/500 (0.4%)	0/500 (0%)	o/500 (0%)	0/500 (0%)	0/500 (0%)	o/500 (0%)	1/500 (0.2%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	0/500 (0%)	o/500 (0%)	0/500 (0%)
Problems swallowing or chewing	2/499 (0.4%)	1/499 (0.2%)	1/499 (0.2%)	0/499 (0%)	0/499 (0%)	0/499 (0%)	0/499 (0%)	0/499 (0%)	0/499 (0%)	0/499 (0%)	0/499 (0%)	0/499 (0%)	1/499 (0.2%)
Bilateral conjunctivitis	2/496 (0.4%)	2/496 (0.4%)	0/496 (0%)	0/496 (0%)	0/496 (0%)	0/496 (0%)	0/496 (0%)	0/496 (0%)	0/496 (0%)	0/496 (0%)	0/496 (0%)	0/496 (0%)	2/496 (0.4%)
Seizures/fits	1/498 (0.2%)	0/498 (0%)	o/498 (NaN%)	o/498 (NaN%)	o/498 (NaN%)	o/498 (NaN%)	o/498 (NaN%)	o/498 (NaN%)	0/498 (NaN%)	o/498 (NaN%)	0/498 (NaN%)	0/498 (NaN%)	o/498 (NaN%)
Lumps or rashes	1/495 (0.2%)	1/495 (0.2%)	0/495	0/495	0/495	0/495	0/495	0/495	0/495	0/495	0/495	0/495	1/495 (0.2%)

(purple/pink) on			(0%)	(0%)	(0%)	(0%)	(0%)	(0%)	(0%)	(0%)	(0%)	(0%)	
toes													
Problems	1/489 (0.2%)	1/489 (0.2%)	0/489	0/489	0/489	0/489	0/489	0/489	0/489	0/489	0/489	0/489	1/489 (0.2%)
speaking or			(o%)	(o%)	(0%)	(o%)	(0%)	(o%)	(o%)	(o%)	(o%)	(0%)	
communicating													
Fainting/	0/497 (0%)	0/497 (0%)	0/497	0/497	0/497	0/497	0/497	0/497	0/497	0/497	0/497	0/497	o/497 (NaN%)
blackouts			(NaN%)										

The differing denominators used indicate missing data.


Table S4. Parental perception of mood and behaviour changes in their children.

Characteristic			Like	ert scale res	ponse				changes		
	1 (less)	2	3 (the same)	4	5 (more)	Not known	Other	Illness itself	Covid-19 pandemic	Both	Unsure
Eating	14 (2.7%)	23 (4.5%)	445 (86.4%)	9 (1.7%)	10 (1.9%)	3 (0.6%)	11 (2.1%)	28 (49.1%)	4 (7%)	2 (3.5%)	23 (40.4%)
Sleeping	15 (2.9%)	23 (4.5%)	447 (86.8%)	5 (1%)	11 (2.1%)	4 (0.8%)	10 (1.9%)	28 (52.8%)	7 (13.2%)	4 (7.5%)	14 (26.4%)
Physical activity	27 (5.2%)	33 (6.4%)	429 (83.3%)	9 (1.7%)	4 (0.8%)	3 (0.6%)	10 (1.9%)	26 (37.7%)	22 (31.9%)	5 (7.2%)	16 (23.2%)
Fatigue	3 (0.6%)	11 (2.1%)	400 (77.8%)	39 (7.6%)	48 (9.3%)	4 (0.8%)	9 (1.8%)	53 (53%)	11 (11%)	16 (16%)	20 (20%)
Spending time with friends in- person	31 (6.2%)	27 (5.4%)	392 (78.1%)	19 (3.8%)	6 (1.2%)	17 (3.4%)	10 (2%)	4 (4.8%)	66 (78.6%)	7 (8.3%)	7 (8.3%)
Spending time with friends remotely	1 (0.2%)	5 (1%)	397 (80.4%)	27 (5.5%)	37 (7.5%)	24 (4.9%)	3 (0.6%)	2 (2.8%)	58 (81.7%)	7 (9.9%)	4 (5.6%)
Spending time watching TV, playing video/computer games, or using social media for educational purposes, including school/nursery work	2 (0.4%)	2 (0.4%)	360 (71.9%)	42 (8.4%)	68 (13.6%)	23 (4.6%)	4 (0.8%)	2 (1.8%)	105 (92.9%)	2 (1.8%)	4 (3.5%)
Spending time watching TV, playing video/computer games, or using social media for non-educational purposes	4 (0.8%)	9 (1.8%)	408 (81.8%)	20 (4%)	28 (5.6%)	24 (4.8%)	6 (1.2%)	2 (3.4%)	44 (75.9%)	2 (3.4%)	10 (17.2%)
Spending time outside	36 (7.1%)	39 (7.7%)	364 (71.5%)	35 (6.9%)	18 (3.5%)	6 (1.2%)	11 (2.2%)	5 (4.1%)	89 (73%)	11 (9%)	17 (13.9%)
Attending school/nursery	29 (5.7%)	7 (1.4%)	313 (61.9%)	4 (0.8%)	36 (7.1%)	102 (20.2%)	15 (3%)	3 (3.7%)	65 (79.3%)	2 (2.4%)	12 (14.6%)
Connectedness	4 (0.8%)	20 (4%)	456 (91%)	4 (0.8%)	1 (0.2%)	13 (2.6%)	3 (0.6%)	3 (10.7%)	14 (50%)	5 (17.9%)	6 (21.4%)
Emotions	11 (2.2%)	57 (11.2%)	411 (80.4%)	11 (2.2%)	3 (0.6%)	5 (1%)	13 (2.5%)	24 (29.6%)	16 (19.8%)	10 (12.3%)	31 (38.3%)
Behaviour	5 (1%)	37 (7.2%)	438 (85.5%)	8 (1.6%)	3 (0.6%)	5 (1%)	16 (3.1%)	16 (28.1%)	7 (12.3%)	6 (10.5%)	28 (49.1%)
Relationships	1 (0.2%)	14 (2.8%)	481 (95.2%)	1 (0.2%)	0 (0%)	5 (1%)	3 (0.6%)	7 (46.7%)	2 (13.3%)	3 (20%)	3 (20%)

Table S5. Parental-reported mood and behaviour changes due to Covid-19 and pandemic in their children, stratified by the the effect.

Characteristic	Caused by	illness itself	Caused by	Covid-19 pandemic
	Less	More	Less	More
Eating	23/512	4/512	o	4/512
	(4.5%)	(0.8%)	(o%)	(0.8%)
Sleeping	18/511 (3.5%)	10/511 (2%)	6/511 (1.2%)	1/511 (0.2%)
Physical activity	24/512	2/512	19/512	3/512
	(4.7%)	(0.4%)	(3.7%)	(0.6%)
Fatigue	7/510	46/510	1/510	10/510
	(1.4%)	(9%)	(0.2%)	(2%)
Spending time with friends in-person	2/485	2/485	47/485	19/485
	(0.4%)	(0.4%)	(9.7%)	(3.9%)
Spending time with friends remotely	2/470 (0.4%)	0 (0%)	2/470 (0.4%)	55/470 (11.7%)
Spending time watching TV, playing video/computer games, or using social media for educational purposes, including school/nursery work	1/478 (0.2%)	1/478 (0.2%)	0 (0%)	105/478 (22%)
Spending time watching TV, playing video/computer games, or using social media for non-educational purposes	1/475	1/475	3/475	41/475
	(0.2%)	(0.2%)	(0.6%)	(8.6%)
Spending time outside	5/503	o	49/503	39/503
	(1%)	(o%)	(9.7%)	(7.8%)
Attending school/nursery	2/404	1/404	29/404	36/404
	(0.5%)	(0.3%)	(7.2%)	(8.9%)
Connectedness	2/488	1/488	13/488	1/488
	(0.4%)	(0.2%)	(2.7%)	(0.2%)
Emotions	22/511	2/511	13/511	2/511
	(4.3%)	(0.4%)	(2.5%)	(0.4%)
Behaviour	14/506 (2.8%)	1/506 (0.2%)	0 (0%)	7/506 (1.4%)
Relationships	7/500 (1.4%)	0 (0%)	2/500 (0.4%)	0 (0%)

Figure S1. The proportion of COVID-19 infected children who at various time points after discharge from hospital had one or more of the commonest continuing symptoms. Some children had more than one symptom.



The prevalence was calculated based on responses to the following questions: "Within the last seven days, has your child had any of these symptoms, which were NOT present prior to their Covid-19 illness? (If yes, please indicate below and the duration of the symptom/s) and "Please report any symptoms that have been bothering your child since discharge that are not present today. Please specify the time of onset and duration of these symptoms."

Figure S2. Multivariable logistic regression model to identify pre-existing risk factors for post-COVID condition (using age as a continuous variable). Odds ratios and 95% CIs for presence of (A) any category of persistent symptoms at the time of follow-up and (B) two or more co-existing categories of persistent symptoms at the time of the follow-up. Neurological conditions include "neurological disorders" and/or "neurodisability". Abbreviation: CI, confidence interval.




Figure S3. Multivariable logistic regression model to identify pre-existing risk factors for post-COVID condition (subgroup analyses in children ≥6 years of age). Odds ratios and 95% CIs for presence of (A) any category of persistent symptoms at the time of follow-up and (B) two or more co-existing categories of persistent symptoms at the time of the follow-up. Neurological conditions include "neurological disorders" and/or "neurodisability". Abbreviation: CI, confidence interval.

